

Achieva



PHILIPS



LEDALITE



Achieva

Delivering quality with economy is no small feat. Achieva does it with subtle, unassuming aesthetics and accommodating optical options. A Philips Ledalite favorite for applications ranging from classrooms and public spaces to design-build projects.



Aluminum at a steel of a price

Achieva provides rigid extruded aluminum housing at a price that's comparable to entry-level steel products. Philips Ledalite is able to offer this value by combining innovative design and manufacturing techniques with the buying power we gain as being part of one of the largest lighting companies in the world.

The right amount of light


Achieva tackles a diverse range of lighting needs with T8 and T5HO lamping options and smart optical accessories. Designers can finesse light levels onsite by using Variable Optics kits and lamp separators to adjust the amount of downlight required for different visual tasks.

Unpack, install, finish early

Installing Achieva is quick and simple. Philips Ledalite's suspended lighting systems offer truly modular assembly with self-aligning joints and quick-wire connectors. Fixed or variable position mounts accommodate almost any ceiling challenge.

Ready when you are



Available on our popular QuickShip program, Achieva can ship from the factory in just nine working days. And with Philips Ledalite's 98% on-time shipping record, you can order with confidence.







Achieva



Direct/Indirect

Order Guide

Product Series/Type	Lamping	Lower Optics	Upper Optics	Run Length	Wiring	Voltage	Ballast	Finish
8816 Achieva Direct/Indirect	H01 1 T5HO H02 2 T5HO H03 3 T5HO T02 2 T8 T03 3 T8	W White Louver P Semi-Specular Louver S Specular Louver M Semi-Specular VDT Louver R Specular VDT Louver	N None D 60% Down Kit G 80% Down Kit J 100% Down Kit U 80% Up Kit Y 2 Down / 1 Up Kit Z 1 Down / 2 Up Kit	Enter total run length in feet (4ft increments)	1 1cct 2 2cct 3 1cct w/ Emergency cct 5 1cct w/ Battery Pack 7 1cct Dimming	1 120V 2 277V 3 347V	E Electronic	W Standard White C Factory Color X Custom Color

Note: For more information about ordering this product with Response Daylight sensors - ledalite.com/response

Available in 4, 8 or 12ft modules

Consult website for full list of available wiring options

Consult website for full list of supported ballasts

Consult website for full list of available factory colors

Some options may not be available for each configuration. Consult factory for details.



Philips Ledalite
19750-92A Avenue
Langley, BC, Canada V1M 3B2
Tel: 604.888.6811

ledalite.com

All rights reserved. All other product or service names are the property of their respective owners. Due to continuing product improvements, Philips Ledalite reserves the right to change specifications without notice.
©2011 Philips Group. L0100-02.11



Luminaires use fluorescent lamps that contain small amounts of mercury. Such lamps are labeled "Contains Mercury" and/or with the symbol "Hg." Lamps that contain mercury must be disposed of in accordance with local requirements. Information regarding lamp recycling and disposal can be found at www.lamprecycle.org.