





Centris

A clean, simple shape that's incredibly affordable and versatile. Centris offers designers a wide selection of distributions, lamping and aesthetic options—all available on our 10-day QuickShip program.



RESPONSE READY QuickShip

Distributions for any space

Designed to address an array of lighting applications, Centris offers suspended and wall mounted lighting systems with a full-range of distributions (direct/indirect, semiindirect and indirect).

1, 2, 3, 4


Solve virtually any lighting challenge using a diverse set of lumen packages including up to four T8 or T5HO lamps.

Wardrobe options


Select from two distinct perforation aesthetics: round perf housing complements the fixture's curved form while the slot perf pattern adds a sleek, contemporary look. Add sculptured endcaps to complete linear runs with tapered elegance.

Price, delivery AND quality

How? Philips Ledalite's state-ofthe-art, fully-automated production line ensures Centris products have a consistent fit and finish and clean hairline joints. It also delivers them at a price and turnaround time that's tough for our competitors to beat.



Solid housing



Semi-Indirect

Slot perf housing



Direct/Indirect Solid housing w/ round perf baffle



Direct/Indirect Round perf housing w/ solid baffle



Direct/Indirect Round perf housing w/ round perf baffle


(also available with slot perf housing)



Wall Mount Semi-Indirect Round perf housing



Direct/Indirect Slot perf housing w/ solid baffle





Wall Mount Direct/Indirect Solid housing w/ round perf baffle




Direct/Indirect Slot perf housing w/ round perf baffle



Wall Mount Indirect Solid housing







Order Guide

Product Series/Type	Lamping	Lower Optics	Upper Optics	Run Length	Wiring	Voltage	Ballast	Finish
9502 Centris Indirect (HP*) 9503 Centris Indirect 9504 Centris Semi-Indirect (HP*) 9505 Centris Semi-Indirect 9506 Centris Direct/Indirect 9507 Centris Direct/Indirect (HP*) 9508 Centris Wall Mount *High Performance Optics	H01 1 T5H0 H02 2 T5H0 H03 3 T5H0 H04 4 T5H0 T01 1 T8 T02 2 T8 T03 3 T8 T04 4 T8	Indirect E Solid Housing Semi-Indirect L Round Perf Housing I Slot Perf Housing Direct/Indirect C Solid Housing / Solid Baffle R Solid Housing / Round Perf Baffle M Round Perf Housing / Solid Baffle T Round Perf Housing / Round Perf Housing / Round Perf Baffle	N None D 50% Down Kit Y 2 Down / 1 Up Kit	Enter total run length in feet (4ft increments)	 1 cct 2 cct 3 1cct w/ Emergency cct 5 1cct w/ Battery Pack 7 1cct Dimming 	1 120V 2 277V 3 347V	E Electronic	 W Standard White C Factory Color X Custom Color
Note: For more information about on this product with Response Daylight ledalite.com/response	U U	U Slot Perf Housing / Solid Baffle Z Slot Perf Housing / Round Perf Baffle		Available in 4, 8 or 12ft modules	Consult website for full list of available wiring options		Consult website for full list of supported ballasts	Consult website for full list of available factory colors



Philips Ledalite

19750–92A Avenue Langley, BC, Canada V1M 3B2 Tel: 604.888.6811

ledalite.com

All rights reserved. All other product or service names are the property of their respective owners. Due to continuing product improvements, Philips Ledalite reserves the right to change specifications without notice. ©2011 Philips Group. L0141-02.11



Luminaires use fluorescent lamps that contain small amounts of mercury. Such lamps are labeled "Contains Mercury" and/or with the symbol "Hg." Lamps that contain mercury must be disposed of in accordance with local requirements. Information regarding lamp recycling and disposal can be found at www.lamprecycle.org.